

**Pica 780** 

Page 1(10)

Date of last issue: 2021-02-25 (Version2)

#### SECTION1. Identification of the substance/preparation and of the company/undertaking

| 1.1 Product identifier<br>1.2 Relevant identified uses of the<br>substance or mixture and uses advised<br>against | Pica 780<br>Graffiti remover. For professional use only  |
|---|--|
| 1.3 Details of the supplier of the safety data sheet  | PICA Kemi AB   |
| Address   | Kabingatan 13<br>SE-212 39 Malmö   |
| Telephone<br>Contact<br>1.4 Emergency telephone number  | +46 (0)40-185820<br>www.picakemi.se/picakemi@picakemi.se<br>+46 10-4566700 Swedish poison information. |

#### **SECTION 2: Hazards identification**

#### 2.1 Classification

Classification CLP (1272/2008/EC) Serious eye irritation - Category 2; H319 2.2 Label elements Pictogram



Signal Word: Warning

#### Contents

Docusate sodium Hazard statement Code(s) H319 Causes serious eye irritation. **Precautionary statements** P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

#### 2.3 Other hazards

This product is not considered to contain any substances that meet the criteria for classification as PBT or vPvB substances.



**Pica 780** 

Date of last issue: 2021-02-25 (Version2)

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Chemical composition: mixture

| Components  | CAS-No:<br>EC-No:<br>Reg-No:                       | Conc<br>% | Hazard Class and<br>Category Code(s)        | Hazard<br>statement<br>Code(s)* |
|---|--|-----------|---|---------------------------------|
| Dimetylglutarate  | 1119-40-0<br>214-277-2                             | 15-25     | -   | -                               |
| Dimetylsuccinate  | 106-65-0<br>203-419-9                              | 5-10      | -   | -                               |
| Dimetyladipate  | 627-93-0<br>211-020-6                              | 5-10      | -   | -                               |
| Docusate sodium   | 577-11-7<br>209-406-4                              | 1-3       | Eye Dam. 1<br>Acute Tox. 4<br>Skin irrit. 2 | H318<br>H302<br>H315            |
| Benzyl alcohol<br>IndexNr: 603-057-00-5                                     | 100-51-6<br>202-859-9<br>01-2119492630-38-xxxx     | 5 - <10   | Acute Tox. 4<br>Acute Tox. 4                | H302<br>H332                    |
| Diethylene glycol   | 111-90-0<br>203-919-7<br>01-2119475105-42-xxxx     | 10-15     | -   | -                               |
| D-glucopyranose,<br>oligomer, heptyl glycoside                              | 1627851-18-6<br>807-654-3<br>01-2120088889-28-xxxx | 0,1-1     | Eye Dam. 1                                  | H318                            |
| Oxirane, 2-methyl, polymer<br>with oxirane, mono (2-<br>propylheptyl) ether | 166736-08-9  | 0,1-1     | Eye Dam. 1<br>Acute Tox. 4                  | H318<br>H302                    |

\* The full text of Hazard statement Codes are listed under section 16.

Ingredients not listed are classified as non-hazardous or at a concentration below reportable levels. The classification is based on data from the chemical supplier and http://echa.europa.eu (database)

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

**General Information** 

In all cases of doubt, or when symptoms persist, seek medical advice.

Keep person warm and calm

Inhalation

Remove to fresh air.

Skin contact

Wash with water and rinse the skin thoroughly. Contact a doctor if the complaints persist.

#### Eve contact

Rinse immediately with lukewarm water for at least 10 minutes. Hold eyelids apart. Contact a doctor if the complaints persist.

#### Ingestion

Rinse mouth with water and drink several glasses of water. Do not induce vomiting. Go to hospital/doctor.



According to (EC) No. 1907/2006 and (EC) 2015/830

Pica 780

Date of last issue: 2021-02-25 (Version2)

SECTION 4: First aid measures (...)

#### 4.2 Most important symptoms and effects, both acute and delayed:

| Inhalation:   | May cause irritation. (Caugh)              |
|---------------|--|
| Skin contact: | May cause skin irritation. (Redness, pain) |
| Eye contact:  | Irritating to eyes. (Pain, redness)        |
| Ingestion:    | Ingestion may cause nausea and discomfort. |

**4.3 Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

**SECTION 5: Fire-fighting measures** 

#### 5.1 Extinguishing media

Water mist, foam, powder, carbon dioxide.

5.2 Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed. Do not breathe fumes.

5.3 Special protective equipment

Wear a self-contained breathing apparatus and protective clothing.

#### 5.4 Additional information

Cool endangered containers with water in case of fire. Move containers from fire area if it can be done without risk.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid contact with eyes.

#### 6.2 Environmental precautions

Do not flush larger amounts of concentrated product into surface water or sanitary sewer system.

#### 6.3 Methods and material for containment and cleaning up

Re-use product if possible. Small quantities may be wiped up with a cloth.

Larger spill: Contain spill with inert material. Absorb in vermiculite, dry sand or earth. Flush afterwards with water. **6.4 Reference to other sections** 

#### See Section 7 for proper handling and storage.

For personal protection see section 8.

For disposal of spillage, see section 13.

#### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Normal precautions taken when handling chemicals should be observed.

Use personal protective equipment.

Avoid contact with eyes. Avoid breathing vapours/spray.

Provide eyewash station.

7.2 Conditions for safe storage, including any incompatibilities

Store upright in original closed containers in a dry place.

Keep away from food, drink and animal feeding stuffs.

Store frost free in temperatures below +50°C

#### 7.3 Specific end use(s)

-



**Pica 780** 

Date of last issue: 2021-02-25 (Version2)

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Appropriate engineering controls

Ensure good exhaust ventilation at the workplace.

#### Swedish limit values or limit values according to the European commission

| Substance                  | CAS-No    | Level limit<br>value           | Short time value             | Note |
|----------------------------|-----------|--------------------------------|------------------------------|------|
| Dimetylglutarat            | 1119-40-0 | 5 ppm 33 mg/m <sup>3</sup>     | -                            | -    |
| Dimetylsuccinat            | 106-65-0  | 5 ppm 30 mg/m <sup>3</sup>     | -                            | -    |
| Dimetyladipat              | 627-93-0  | 5 ppm 36 mg/m <sup>3</sup>     | -                            | -    |
| Dietylenglykolmonoetyleter | 111-90-0  | 15 ppm 80<br>mg/m <sup>3</sup> | 30 ppm 170 mg/m <sup>3</sup> | H,V  |

#### **Explanation of note**

V = Indicative short-term limit value. H = The substance can easily be absorbed through the skin.

#### British limit values (EH40/2005 Workplace exposure limits)

No exposure limits have been established.

#### (DNEL)

| Long term exposure – Workers                          |
|---|
| Systematic effects, Inhalation: 22 mg/m <sup>3</sup>  |
| Short term exposure – Workers                         |
| Systematic effects, Inhalation: 110 mg/m <sup>3</sup> |
| Long term exposure – Workers                          |
| Systematic effects, Dermal: 8 mg/kg                   |
| Short term exposure – Workers                         |
| Systematic effects, Dermal: 40 mg/kg                  |
| Long term exposure – Consumers                        |
| Systematic effects, Inhalation: 22 mg/m <sup>3</sup>  |
| Short term exposure – Consumers                       |
| Systematic effects, Inhalation: 110 mg/m <sup>3</sup> |
| Long term exposure – Consumers                        |
| Systematic effects, Dermal: 8 mg/kg                   |
| Short term exposure – Consumers                       |
| Systematic effects, Dermal: 40 mg/kg                  |
| Long term exposure – Consumers                        |
| Systematic effects, Oral: 4 mg/kg                     |
| Short term exposure – Consumers                       |
| Systematic effects, Oral: 20 mg/kg                    |
|   |



According to (EC) No. 1907/2006 and (EC) 2015/830

Pica 780

Date of last issue: 2021-02-25 (Version2)

#### SECTION 8: Exposure controls/personal protection (...)

| Diethylene glycol (111-90-0) | Long term exposure – Consumers                         |
|------------------------------|--|
|                              | Local effects, inhalation: 9 mg/m <sup>3</sup>         |
|                              | Long term exposure – Consumers                         |
|                              | Systematic effects, inhalation: 18,3 mg/m <sup>3</sup> |
|                              | Long term exposure – Consumers                         |
|                              | Systematic effects, dermalt: 25 mg/kg                  |
|                              | Long term exposure – Consumers                         |
|                              | Systematic effects, oralt: 25 mg/kg                    |
|                              | Long term exposure – Workers                           |
|                              | Local effects, inhalation: 18 mg/m <sup>3</sup>        |
|                              | Long term exposure – Workers                           |
|                              | Systematic effects, inhalation: 37 mg/m <sup>3</sup>   |
|                              | Long term exposure – Workers                           |
|                              | Systematic effects, dermalt: 50 mg/kg                  |

#### PNEC

| Benzyl alcohol (100-51-6)    | 1,0 mg/l    | Freshwater            |
|------------------------------|-------------|-----------------------|
| Benzyl alcohol (100-51-6)    | 0,1 mg/l    | Saltwater             |
| Benzyl alcohol (100-51-6)    | 5,27 mg/kg  | Sediment (Freshwater) |
| Benzyl alcohol (100-51-6)    | 0,527 mg/kg | Sediment (Saltwater)  |
| Benzyl alcohol (100-51-6)    | 0,456 mg/kg | Soil                  |
| Benzyl alcohol (100-51-6)    | 39 mg/l     | STP                   |
| Diethylene glycol (111-90-0) | 0,74 mg/l   | Freshwater            |
| Diethylene glycol (111-90-0) | 0,074 mg/l  | Saltwater             |
| Diethylene glycol (111-90-0) | 0,15 mg/kg  | Soil                  |
| Diethylene glycol (111-90-0) | 100 mg/l    | STP                   |
| Diethylene glycol (111-90-0) | 10 mg/l     | Intermittent releases |
|                              |             |                       |

#### 8.2 Exposure controls

#### General protective and hygiene measures

Wash hands during work breaks and at the end of the shift.

Avoid contact with eyes and skin.

The usual precautionary measures for the handing of chemicals have to be observed.

Individual protection measures, such as personal protective equipment

Always consult a competent person/supplier when selecting personal protective equipment.

**Respiratory protection** 

Normally not needed.

Hand protection

Use chemical-resistant gloves. (E.g. PVC, Nitrile rubber)

When selection gloves, several parameters must be taken into account, usage, handling time, break through time.etc

#### Eye protection

Wear tightly fitting protective goggles if there is a risk of direct contact.

Body protection

Wear suitable protective clothing.



According to (EC) No. 1907/2006 and (EC) 2015/830 Pica 780 Page 6(10)

Date of last issue: 2021-02-25 (Version2)

#### **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties:

| Physical state:<br>Colour:<br>Odour<br>Melting point/freezing point<br>Boiling point or initial boiling point and boiling range<br>Flammability<br>Lower and upper explosion limit<br>Flash point<br>Auto-ignition temperature<br>Decomposition temperature | Liquid<br>Not determined<br>Not determined<br>Not determined<br>Not determined<br>Not determined<br>Not determined<br>Not determined |
|---|--|
| pH<br>Kinematic viscosity<br>Solubility<br>Partition coefficient n-octanol/water (log value)<br>Vapour pressure<br>Density and/or relative density<br>Relative vapour density<br>Particle characteristics   | 7<br>Not determined<br>soluble<br>Not determined<br>Not determined<br>Not determined<br>Not determined                               |

9.2 Other information: No specific.

**SECTION 10: Stability and reactivity** 

10.1 Reactivity
Stable under recommended storage and handing conditions
10.2 Chemical stability
Stable under recommended storage and handing conditions.
10.3 Possibility of hazardous reactions
No known
10.4 Conditions to avoid
Keep away from heat, sparks and open flame.
10.5 Incompatible materials
Strong oxidizing agents, strong bases, strong acids.
10.6 Hazardous decomposition products
No known under recommended storage and handing conditions



According to (EC) No. 1907/2006 and (EC) 2015/830

Pica 780

Date of last issue: 2021-02-25 (Version2)

#### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

See section 4. (Most important symptoms and effects, both acute and delayed) Inhalation May be irritating. Skin contact May be irritating. Eye contact: Irritant. Ingestion: Ingestion may cause nausea and discomfort. Acute toxicity Information about this preparation is not available.

#### Toxicology data for the containing components

| Mixture of:                    | LD <sub>50</sub> Oralt Rat: 5000 mg/kg bw      |
|--------------------------------|--|
| Dimethyl Glutarate (1119-40-0) | LC <sub>50</sub> Dermal Rat: 2000 mg/kg bw     |
| Dimethyl Adipate (106-65-0)    | LD <sub>50</sub> Inhalation Rat: 11000 mg/l    |
| Dimethyl Succinate (627-93-0)  |  |
| Benzyl alcohol (100-51-6)      | LD <sub>50</sub> Oral Rat: 1230 mg/kg          |
|                                | LC <sub>50</sub> Inhalation Rat 4h: >4178 mg/l |
|                                | LD <sub>50</sub> Dermal Rabbit: 2000 mg/kg     |
| Diethylene glycol (111-90-0)   | LD <sub>50</sub> Oral Rat: 6300 mg/kg          |
|                                | LC <sub>50</sub> Inhalation Rat 4h: >5,24 mg/l |
|                                | LD <sub>50</sub> Dermalt Rat: ~8500 mg/kg bw   |

STOT-single exposure -repeated exposure
No known.
Routes of exposure
Eyes and skin, inhalation, (ingestion)
Allergenic potential
The product is not classified as allergenic by inhalation or skin contact.
Carcinogenicity, mutagenicity and toxicity for reproduction
This product is not classified as carcinogen, mutagen and toxic for reproduction.
Aspiration hazard
No.
11.2. Information on other hazards
No known.

According to (EC) No. 1907/2006 and (EC) 2015/830

Pica 780

Date of last issue: 2021-02-25 (Version2)

#### SECTION 12: Ecological information

This product is not classified as dangerous for the environment. Avoid uncontrolled releases to surface water and sewage **12.1 Toxicity** Information about this preparation is not available.

#### Toxicology data for the containing components:

| LC <sub>50</sub> Fish 96h: 18-24 mg/l Sp: Pimephales promelas |
|---|
| EC <sub>50</sub> Daphnia 48h: 112-150 mg/l Sp: D. Magna       |
| EC <sub>50</sub> Algae 72h: >85 mg/l                          |
|   |
| LC <sub>50</sub> Fish 96h: 646 mg/l                           |
| EC <sub>50</sub> Daphnia 48h: 230 mg/l                        |
| EC <sub>50</sub> Algae 72h: 770 mg/l                          |
| LC <sub>50</sub> Fish 96h: 460 mg/I OECD 203                  |
| EC <sub>50</sub> Daphnia 48h: 230 mg/l OECD 202               |
| EC <sub>50</sub> Algae 72h:770 mg/l OECD 201                  |
|   |

#### 12.2 Persistence and degradability

Dimethyl Adipate (106-65-0) - Readily biodegradable. Benzyl alcohol (100-51-6) - Readily biodegradable. Diethylene glycol (111-90-0) - Readily biodegradable **12.3 Bioaccumulative potential** Benzyl alcohol (100-51-6) – Not considered to bioaccumulate. Log Kow 1.1 Diethylene glycol (111-90-0) - Does not bioaccumulate. **12.4 Mobility in soil** Soluble in water. **12.5 Results of PBT and vPvB assessment** This product is not considered to contain any substances that meet the criteria for classification as PBT or vPvB substances. **12.6. Endocrine disrupting properties** No known. **12.7. Other adverse effects** 

No known.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods:

This product or residues of concentrated product are classified as hazardous waste. Dispose of in accordance with local authority requirements. Do not empty into drain.

Suggested EWC-codes: Depends on line of business and use.

14 06 03\* other solvents and solvent mixtures

#### **Disposal of Packaging:**

Well cleaned packaging could be left for recycling.



**Pica 780** 

Date of last issue: 2021-02-25 (Version2)

#### SECTION 14: Transport information

The product is not classified as dangerous goods according to ADR/RID, IMDG, DGR. **14.1 UN number** 

14.2 Proper shipping name (IMDG,IATA/ICAO)

14.3 Transport hazard class(es)

14.4 Packing group

14.5 Environmental hazards

14.6 Special precautions for user

14.7 Maritime transport in bulk according to IMO instruments

**SECTION 15: Regulatory information** 

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** Classification according to CLP (1272/2008/EC). EH40/2005 **15.2 Chemical safety assessment** None.

**SECTION 16: Other information** 

#### The full text of Hazard statement Codes listed under section 3:

H302 Harmful if swallowed
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.

The user of this product must decide if the information in this safety data sheet is sufficient for which the product will be used.

Version 2: 2021-02-25 Safety data sheet according to Regulation (EC) No. 1907/2006 and (EG) 2015/830. Version 1: 2019-10-11

Sources

Safety data sheet provided by the manufacturer. CLP-regulation www.kemi.se (Database), EH40/2005, http://echa.europa.eu (Database).



**Pica 780** 

Date of last issue: 2021-02-25 (Version2)

#### SECTION 16: Other information (...)

#### Abbreviations explanations

ADR: International Carriage of Dangerous Goods by Road **BCF: Bio Concentration Factor** CAS-nr: Chemical Abstracts Service number EC<sub>50</sub>: Effect Concentration EG-nr: A substance number i Einecs, Elincs or in No-Longer Polymers List. IMDG: International Maritime Dangerous Goods Code. LC<sub>50</sub>: Lethal Concentration LD<sub>50</sub>: Lethal Dose IC<sub>50</sub>: Median Inhibition Concentration NOEC: No Observed Effect Concentration PBT-substance: Persistent, Bio accumulative and Toxic substances. vPvB-substance: Very persistent and Very Bio accumulative substances. NOEC: No Observed Effect Concentration