

# Pica P500

## Anti-graffiti coating



### Generally:

Pica Protector 500 is a wax based water borne graffiti protection system that protects the surface effectively against spray, paintbrush and Indian ink graffiti. Pica Protector 500 is a sacrificial protection system, which means that the surface must be re-protected since the protective coating disappears, wholly or partially, during high pressure cleaning.

### Use:

Pica Protector 500 can be used on most types of surfaces. Recommended surface temperature: +40 - +5 ° centigrade.

### Directions for use:

#### Application

- Clean surface thoroughly.
- Coat surface evenly with Pica Protector 500. Work from the bottom of the facade to the top of the facade.
- Coat surface with an additional coating when the first coating has become transparent. The surface is now effectively protected.

NB. Always apply two coatings to get fully adequate protection.

#### Cleaning

- Remove the graffiti with a high pressure cleaner at 70 bar at a temperature of 70 ° Celsius.
- Re-protect with two coatings of Pica Protector 500.

### Solution to be used:

Concentrate (pH 8,5).

### Estimated amount to be used:

Varies according to the surface. In General estimate the following;

|                                 |          |
|---------------------------------|----------|
| Painted surfaces, natural stone | 0,20L/m2 |
| Concrete, Brick                 | 0,30L/m2 |
| Render                          | 0,40L/m2 |

### Personal protective measures:

Not needed.

### Labelling:

Se MSDS

### Storage/durability:

Store dark and frost free. Durability, about 24 months in sealed original container.

### Technical data:

|             |                    |
|-------------|--------------------|
| Contains:   | Montan waxes       |
| Appearance: | Milky white liquid |
| Odour:      | Neutral            |

*Informationen i detta blad är framtagen i god tro och efter bästa vetenskap. PICA AB påtar sig därmed inte något ansvar, varken direkt eller indirekt, för skada som uppkommer genom information i detta blad.*