

**Pica Protector 550** 

#### Revision date: 2022-12-12 (Version 3)

#### SECTION1. Identification of the substance/preparation and of the company/undertaking

1.1 Product identifier 1.2 Relevant identified uses of the substance or mixture and uses advised against	Pica Protector 550 Graffiti Protection
1.3 Details of the supplier of the safety data sheet	PICA Kemi AB
Address	Kabingatan 13 SE-212 39 Malmö
Telephone/ Homepage/E-mail 1.4 Emergency telephone number	+46 (0)40-185820 www.picakemi.se/picakemi@picakemi.se For poison information call, NHS 111 (England), NHS 24 (Scotland) or NHS Direct (Wales), in emergencies call 999.

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

The product is not classified as dangerous according to Regulation (EC) No. 1272/2008. 2.2 Label elements Pictogram

Signal Word: None

#### Contents

Hazard statement Code(s) None **Precautionary statements** None

#### 2.3 Other hazards

This product is not considered to contain any substances that meet the criteria for classification as PBT or vPvB substances.

Does not contain an endocrine disruptor (EDC) in a concentration of  $\ge 0.1\%$ .



ccording to (EC) No. 1907/2006 and (EC) 2015/8 Pica Protector 550

Revision date: 2022-12-12 (Version 3)

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Components	CAS-No: EC-No: Reg-No:	Conc %	Hazard Class and Category Code(s)	Hazard statement Code(s)*
Ethanol**	64-17-5 200-578-6 01-2119457610-43-xxxx	10 - 20	Flam. Liq. 2 Eye Irrit 2	H225 H319
Propan-2-ol	67-63-0 200-661-7 01-2119457558-25-xxxx	1 - 5	Flam. Liq. 2 Eye Irrit 2 STOT SE 3	H225 H319 H336

\* The full text of Hazard statement Codes are listed under section 16.

\*\* SCL

H319 >50%

Ingredients not listed are classified as non-hazardous or at a concentration below reportable levels. The classification is based on data from the chemical supplier and http://echa.europa.eu (database)

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

**General Information** 

In all cases of doubt, or when symptoms persist, seek medical advice.

Inhalation

Remove to fresh air.

#### Skin contact

Take off all contaminated clothing wash with soap and water and rinse the skin thoroughly.

#### Eye contact

Rinse with lukewarm water for several minutes. Hold eyelids apart. Remove contact lenses, if present and easy to do. Contact a doctor if the complaints persist.

#### Ingestion

Rinse mouth with water and drink several glasses of water. Contact a doctor if the complaints persist.

#### 4.2 Most important symptoms and effects, both acute and delayed

Inhalation:	High levels of vapor may cause respiratory irritation.
Skin contact:	Prolonged skin contact could cause skin irritation.
Eye contact:	May be irritating to eyes. (Pain, redness)
Ingestion:	Ingestion of large amounts may cause discomfort,

#### **4.3 Indication of any immediate medical attention and special treatment needed** Treat symptomatically.



ccording to (EC) No. 1907/2006 and (EC) 2015 Pica Protector 550

Revision date: 2022-12-12 (Version 3)

#### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

Water mist, foam, powder, carbon dioxide.
Do not use strong water jet, may spread the fire.
5.2 Special hazards arising from the substance or mixture
During fire, gases hazardous to health may be formed. Do not breathe fumes.
5.3 Advice for firefighters
Wear a self-contained breathing apparatus and protective clothing.
Additional information
Cool endangered containers with water in case of fire. Move containers from fire area if it can be done without risk.

#### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

#### 6.2 Environmental precautions

Do not flush larger amounts of concentrated product into surface water or sanitary sewer system.

#### 6.3 Methods and material for containment and cleaning up

Re-use product if possible. Small quantities may be wiped up with a cloth. Larger spill: Contain spill with inert material. Absorb in vermiculite, dry sand or earth. Flush afterwards with water.

#### 6.4 Reference to other sections

See Section 7 for proper handling and storage.

For personal protection see section 8.

For disposal of spillage, see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Normal precautions taken when handling chemicals should be observed. Ensure adequate ventilation.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in tightly closed container.

7.3 Specific end use(s)

-



Pica Protector 550

Revision date: 2022-12-12 (Version 3)

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Appropriate engineering controls

Ensure good exhaust ventilation at the workplace.

#### **Exposure limits**

#### Swedish limit values or limit values according to the European commission

Substance	CAS-No	Level limit value	Short time value	Note
Ethanol	64-17-5	500 ppm 1000 mg/m <sup>3</sup>	1000 ppm 1900mg/m <sup>3</sup>	V
Isopropanol	67-63-0	150 ppm 350 mg/m <sup>3</sup>	250 ppm 600mg/m <sup>3</sup>	V

#### **Explanation of note**

V = Indicative short-term limit value

#### British limit values (EH40/2005 Workplace exposure limits)

Substance	CAS Nr	Long-term exposure Limit	Short-term exposure limit	Comments
Ethanol	64-17-5	1000 ppm 1920 mg/m <sup>3</sup>	-	-
Propan-2-ol	67-63-0	400 ppm 999 mg/m <sup>3</sup>	500 ppm 1250 mg/m <sup>3</sup>	-

#### DNEL

DNEL	
Ethanol (64-17-5)	Long term exposure - Workers
	Systematic effects, inhalation: 950 mg/m <sup>3</sup>
	Short term exposure - Workers
	Local effects, inhalation: 1900 mg/m <sup>3</sup>
	Long term exposure - Workers
	Systematic effects, Dermal: 343 mg/kg
	Long term exposure - Consumers
	Systematic effects, inhalation: 114 mg/m <sup>3</sup>
	Short term exposure – Consumers
	Local effects, inhalation: 950 mg/m <sup>3</sup>
	Long term exposure - Consumers
	Systematic effects, Dermal: 206 mg/kg
	Long term exposure - Consumers
	Systematic effects, oral: 87 mg/kg
Propan-2-ol (67-63-0)	Long term exposure - Workers
	Systematic effects, Dermal: 888 mg/kg
	Long term exposure - Workers
	Systematic effects, inhalation: 500mg/m <sup>3</sup>
	Long term exposure - Consumers
	Systematic effects, Dermal: 319 mg/kg
	Long term exposure - Consumers
	Systematic effects, inhalation: 89 mg/m <sup>3</sup>
	Long term exposure - Consumers
	Systematic effects, Oral: 26 mg/kg bw/day



Pica Protector 550

Page 5 of 9

Revision date: 2022-12-12 (Version 3)

#### SECTION 8: Exposure controls/personal protection (...)

#### PNEC

Ethanol (64-17-5)	0,96mg/l	Freshwater
Ethanol (64-17-5)	0,79mg/L	Seawater
Ethanol (64-17-5)	2,75mg/L	Intermittent releases
Ethanol (64-17-5)	580mg/L	Sewage Treatment Plant
Ethanol (64-17-5)	3,6 mg/kg	Sediment Freshwater
Ethanol (64-17-5)	2,9 mg/kg	Sediment Seawater
Ethanol (64-17-5)	0,63 mg/kg	Dirt
Propan-2-ol (67-63-0)	140,9 mg/L	Freshwater
Propan-2-ol (67-63-0)	28mg/kg	Dirt
Propan-2-ol (67-63-0)	140,9 mg/l	Seawater
Propan-2-ol (67-63-0)	140,9 mg/l	Intermittent releases
Propan-2-ol (67-63-0)	2251 mg/l	Sewage Treatment Plant
Propan-2-ol (67-63-0)	552 /mg/kg	Sediment Freshwater

#### 8.2 Exposure controls

#### General protective and hygiene measures

Wash hands during work breaks and at the end of the shift.

The usual precautionary measures for the handing of chemicals have to be observed.

#### Individual protection measures, such as personal protective equipment

Always consult a competent person/supplier when selecting personal protective equipment.

**Respiratory protection** 

Normally not needed.

Hand protection

In case of prolonged contact with concentrated product, protective gloves should be used. **Eye protection** 

Normally not needed. Wear tightly fitting protective goggles if there is a risk of direct contact.

#### **Body protection**

Wear suitable protective clothing.



ccording to (EC) No. 1907/2006 and (EC) 2015/8 Pica Protector 550

Revision date: 2022-12-12 (Version 3)

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state: Colour: Odour Melting point/freezing point Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Flash point Auto-ignition temperature Decomposition temperature pH	Liquid Not determined Not determined Not determined >80 Not determined Not determined Not determined Not determined Not determined
Kinematic viscosity Solubility Partition coefficient n-octanol/water (log value) Vapour pressure Density and/or relative density Relative vapour density Particle characteristics	Not determined Soluble in water Not determined Not determined Not determined Not determined

**9.2 Other information** No specific.

**SECTION 10: Stability and reactivity** 

#### 10.1 Reactivity

Stable under recommended storage and handing conditions
10.2 Chemical stability
Stable under recommended storage and handing conditions.
10.3 Possibility of hazardous reactions
No known
10.4 Conditions to avoid
No known
10.5 Incompatible materials
No known
10.6 Hazardous decomposition products
No known under recommended storage and handing conditions

#### **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
See section 4. (Most important symptoms and effects, both acute and delayed)
Irritating/corrosive properties
Not classified as irritant/corrosive according to CLP.
Acute toxicity
Not classified as acutely toxic.
Toxicology data
Information about this preparation is not available.



**Pica Protector 550** 

Revision date: 2022-12-12 (Version 3)

#### **SECTION 11: Toxicological information**

#### Toxicology data for the containing components

Ethanol (64-17-5)	LD <sub>50</sub> Oral Rat: 10470 mg/kg	
	LC <sub>50</sub> Dermal Rabbit: 17100 mg/kg	
	LD <sub>50</sub> Inhalation Rat 4h: 124,7 mg/l	
Propan-2-ol (67-63-0)	LD <sub>50</sub> Oral Rat: 5840 mg/kg bw	
	LC <sub>50</sub> Dermal Rabbit: >2000 mg/kg bw	
	LD₅₀ Inhalation Rat 4h: 66,1 mg/l	

STOT-single exposure -repeated exposure No known. **Routes of exposure** Eyes and skin, inhalation, (ingestion) Allergenic potential The product is not classified as allergenic by inhalation or skin contact. Carcinogenicity, mutagenicity and toxicity for reproduction This product is not classified as carcinogen, mutagen and toxic for reproduction. Aspiration hazard No. 11.2 Information on other hazards Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0.1\%$ .

#### **SECTION 12: Ecological information**

This product is not classified as dangerous for the environment. Avoid uncontrolled releases to surface water and sewage 12.1 Toxicity

Information about this preparation is not available.

#### Toxicology data for the containing components:

0/0/	
Ethanol (64-17-5)	LC <sub>50</sub> Fish 96h: 15300 mg/l Sp: Pimephales promelas
	EC <sub>50</sub> Algae 96h: 275 mg/l Sp: Chlorella vulgaris
	EC <sub>50</sub> Daphnia 48h: 12340 mg/l Sp: D. Magna
Propan-2-ol (67-63-0)	LC <sub>50</sub> Fish 48h: 8970-9280 mg/l Sp: Leuciscus idus melanotus
	EC <sub>50</sub> Algae 8d: 1800 mg/l Sp: Scenedesmus quadricauda
	EC <sub>50</sub> Daphnia 24h: 9714 mg/l

#### 12.2 Persistence and degradability

Ethanol (64-17-5) - Readily biodegradable. 97% 28D Propan-2-ol (67-63-0) - Readily biodegradable. 95% 21D OECD301E 12.3 Bioaccumulative potential Does not bioaccumulate. - Etanol (64-17-5) Does not bioaccumulate. - Propan-2-ol (67-63-0) 12.4 Mobility in soil Soluble in water. 12.5 Results of PBT and vPvB assessment This product is not considered to contain any substances that meet the criteria for classification as PBT or vPvB substances. 12.6 Endocrine disrupting properties Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0.1\%$ . 12.7 Other adverse effects

No known



Pica Protector 550

Revision date: 2022-12-12 (Version 3)

#### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods:

This product or residues of concentrated product are not classified as hazardous waste. Dispose of in accordance with local authority requirements. Do not empty into drain.

#### Disposal of Packaging:

Well cleaned packaging could be left for recycling.

#### **SECTION 14: Transport information**

The product is not classified as dangerous goods according to ADR/RID, IMDG, DGR. **14.1 UN number or ID number** 

-14.2 UN proper shipping name

14.3 Transport hazard class(es)

14.4 Packing group

14.5 Environmental hazards

14.6 Special precautions for user

14.7 Maritime transport in bulk according to IMO instruments

#### **SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** Classification according to Regulation (EC) No. 1907/2006 annex II and EC/2020/878. EH40/2005. **15.2 Chemical safety assessment** None.

**SECTION 16: Other information** 

The full text of Hazard statement Codes listed under section 3:

H302 Harmful if swallowed

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

The user of this product must decide if the information in this safety data sheet is sufficient for which the product will be used.

**Version 2:** 2022-12-12 Safety data sheet according to Regulation (EC) No. 1907/2006 annex II and EC/2020/878. Changes made in section 1.4; 2.1; 2.3; & 11.1; 11.2; 12.6; 15.1 & 16.

**Previous versions** Version 2: 2020-06-01 Version 1: 2015-10-22



**Pica Protector 550** 

Page 9 of 9

Revision date: 2022-12-12 (Version 3)

#### SECTION 16: Other information (...)

#### Sources

Safety data sheet provided by the manufacturer. CLP-regulation, www.kemi.se, EH40/2005. www.echa.europa.eu (Databases)

#### Abbreviations explanations

ADR: International Carriage of Dangerous Goods by Road **BCF: Bio Concentration Factor** CAS-nr: Chemical Abstracts Service number EC<sub>50</sub>: Effect Concentration EG-nr: A substance number i Einecs, Elincs or in No-Longer Polymers List. IMDG: International Maritime Dangerous Goods Code. LC<sub>50</sub>: Lethal Concentration LD<sub>50</sub>: Lethal Dose IC<sub>50</sub>: Median Inhibition Concentration NOEC: No Observed Effect Concentration PBT-substance: Persistent, Bio accumulative and Toxic substances. vPvB-substance: Very persistent and Very Bio accumulative substances. NOEC: No Observed Effect Concentration