

Pica DC 521

Date of issue: 2020-10-05 (Version 1)

SECTION 1. Identification of the substance/preparation and of the company/undertaking

1.1 Product identifier	Pica DC 521
1.2 Relevant identified uses of the substance or mixture and uses advised against	Impregnating agent. Professional use.
1.3 Details of the supplier of the safety data sheet	PICA Kemi AB
Address	Kabingatan 13 SE-212 39 Malmö
Telephone/	+46 (0)40-185820
Homepage/E-mail	www.picakemi.se/picakemi@picakemi.se
1.4 Emergency telephone number	Minor emergency cases during office hours +46(0)10-4566700 Swedish poison information center.

SECTION 2: Hazards identification

2.1 Classification

Classification CLP (1272/2008/EC)

Sensitisation — Skin, hazard category 1: H317

Hazardous to the aquatic environment — Chronic Hazard, Category 3

2.2 Label elements

Pictogram



Signal Word: Warning

Contents

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Hazard statement Code(s)

H317: May cause an allergic skin reaction

H412: Harmful to aquatic life with long lasting effects

Precautionary statements

P262 Do not get in eyes, on skin, or on clothing.

P273 Avoid release to the environment.

P280 Wear protective gloves /eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

H362 May cause harm to breast-fed children.

2.3 Other hazards

The product does not contain substances that meet the criteria for classification as PBT or vPvB substances in concentrations equal to or above 0.1%.

Date of issue: 2020-10-05 (Version 1)

SECTION 3: Composition/information on ingredients

3.2 Chemical composition: mixture

Components	CAS-No: EC-No: Reg-No:	Conc %	Hazard Class and Category Code(s)	Hazard statement Code(s)*
Triethoxyoctylsilane	2943-75-1 220-941-2 01-2119972313-39-xxxx	1-<3	Skin Irrit. 2	H315
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	0,0015- 0,02%	Acute Tox. 3 Acute Tox. 2 Skin Corr. 1C Eye Dam. 1 Skin Sens. 1A Acute Tox. 2 Aquatic Acute. 1 Aquatic Chronic.1	H301 H310 H314 H318 H317 H330 H400 H410 EUH071

* The full text of Hazard statement Codes are listed under section 16.

** SCL

Eye Dam. 1: $C \geq ,6 \%$

Eye Irrit. 2; H319: $,06 \% \leq C < ,6 \%$

Skin Corr. 1C: $C \geq ,6 \%$

Skin Irrit. 2; H315: $,06 \% \leq C < ,6 \%$

Skin Sens. 1A: $C \geq ,0015 \%$

M=100

M(Chronic)=100

Ingredients not listed are classified as non-hazardous or at a concentration below reportable levels.

The classification is based on data from the chemical supplier and <http://echa.europa.eu> (database)

SECTION 4: First aid measures

4.1 Description of first aid measures
General Information

In all cases of doubt, or when symptoms persist, seek medical advice.

Keep person warm and calm.

Inhalation

Remove to fresh air.

Skin contact

Wash with soap and water and rinse the skin thoroughly. Contact a doctor if the complaints persist.

Eye contact

Rinse with lukewarm water for several minutes. Hold eyelids apart. Remove contact lenses, if present and easy to do. Contact a doctor if the complaints persist.

Ingestion

Rinse mouth with water and drink several glasses of water. Contact a doctor.

Date of issue: 2020-10-05 (Version 1)

SECTION 4: First aid measures (...)

4.2 Most important symptoms and effects, both acute and delayed:

Inhalation:	May be irritating by inhalation. (Cough)
Skin contact:	May be irritating on skin contact. May cause an allergic skin reaction.
Eye contact:	May cause irritation by eye contact (Burning, redness)
Ingestion:	May cause nausea, vomiting if swallowed.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Water mist, foam, powder, carbon dioxide.

5.2 Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed. Do not breathe fumes. (CO₂, CO, NO_x)

5.3 Special protective equipment

Wear a self-contained breathing apparatus and protective clothing.

5.4 Additional information

Cool endangered containers with water in case of fire. Move containers from fire area if it can be done without risk.

Fire residues and contaminated firefighting water must be disposed of in accordance with local regulations.

Prevent uncontrolled discharges into the environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Avoid contact with skin.

6.2 Environmental precautions

Do not flush larger amounts of concentrated product into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Re-use product if possible. Small quantities may be wiped up with a cloth. Larger spill: Contain spill with inert material. Absorb in vermiculite, dry sand or earth. Flush afterwards with water.

6.4 Reference to other sections

See Section 7 for proper handling and storage.

For personal protection see section 8. For disposal of spillage, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Normal precautions taken when handling chemicals should be observed.

Use personal protective equipment. Avoid contact with skin.

7.2 Conditions for safe storage, including any incompatibilities

Store in original, closed container in a dry area. Store away from food and feedstuff.

7.3 Specific end use(s)

-

Pica DC 521

Date of issue: 2020-10-05 (Version 1)

SECTION 8: Exposure controls/personal protection

8.1 Appropriate engineering controls

Ensure good exhaust ventilation at the workplace.

Exposure limits

Swedish limit values or limit values according to the European commission

None established.

British limit values (EH40/2005 Workplace exposure limits)

None established.

DNEL

Triethoxyoctylsilane (2943-75-1)	<p>Short term exposure – Workers Systemic effects, Inhalation: 16 mg/m³ Short term exposure – Workers Systemic effects, Dermal: 9 mg/kg Short term exposure – Consumer Systemic effects, Oral: 6,2 mg/kg Short term exposure – Consumer Lokala effekter, Inhalation: 5,4 mg/m³ Short term exposure – Consumer Systemic effects, Dermal: 6,2 mg/kg</p>
----------------------------------	---

PNEC

Triethoxyoctylsilane (2943-75-1)	0,006 mg/l	Freshwater
Triethoxyoctylsilane (2943-75-1)	0,001 mg/l	Saltwater
Triethoxyoctylsilane (2943-75-1)	2,34 mg/kg	Sediment (Freshwater)
Triethoxyoctylsilane (2943-75-1)	0,23 mg/kg	Sediment (Saltwater)
Triethoxyoctylsilane (2943-75-1)	0,009 mg/kg	Soil

8.2 Exposure controls

General protective and hygiene measures

Wash hands before breaks and after work.

Avoid contact with skin.

The usual precautionary measures for the handling of chemicals have to be observed.

Individual protection measures, such as personal protective equipment

Always consult a competent person/supplier when selecting personal protective equipment.

Respiratory protection

In case of insufficient ventilation or inhalation of spray mist, wear suitable respiratory equipment.

Hand protection

Use protective gloves (Rubber)

When selection gloves, several parameters must be taken into account, usage, handling time, breakthrough time.etc

Eye protection

Normally not needed.

Body protection

Wear suitable protective clothing.

Date of issue: 2020-10-05 (Version1)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties:

Form:	Liquid
Colour:	Colourless / Yellowish
Odour:	Not available
Odor threshold:	Not available
pH-value:	Not available
Melting point/ Freezing point (°C):	Not available
Boiling point/range: (°C):	Not available
Flash point (°C):	Not available
Evaporation rate:	Not available
Flammability (solid, gas):	Not available
Upper / lower flammability limits or explosive limits:	Not available
Vapour pressure:	Not available
Vapour density (air=1):	Not available
Density:	Not available
Solubility in water:	Soluble
Partition coefficient: n-octanol/water:	Not available
Auto-ignition temperature (C):	Not available
Decomposition temperature (°C):	Not available
Viscosity:	Not available
Explosive properties:	Not available
Oxidising properties:	Not available

9.2 Other information:

No specific

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage and handling conditions

10.2 Chemical stability

Stable under recommended storage and handling conditions.

10.3 Possibility of hazardous reactions

No known

10.4 Conditions to avoid

No known

10.5 Incompatible materials

No known

10.6 Hazardous decomposition products

No known under recommended storage and handling conditions

Date of issue: 2020-10-05 (Version 1)

SECTION 11: Toxicological information

11.1 Information on toxicological effects

See section 4. (Most important symptoms and effects, both acute and delayed)

Inhalation

May be irritating.

Skin contact

May be irritating.

Eye contact:

May be irritating to eyes.

Ingestion:

Ingestion of large amounts may cause nausea and discomfort.

Acute toxicity

Information about this preparation is not available.

Toxicology data for the containing components

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	LD ₅₀ Oral Rat: 550 mg/kg LC ₅₀ Dermal Rabbit: 200-100 mg/kg LD ₅₀ Inhalation Rat: 031 mg/l
Triethoxyoctylsilane (2943-75-1)	LD ₅₀ Oral Rat: >5110 mg/kg LD ₅₀ Dermal Rabbit: 6730 mg/kg LC ₅₀ Inhalation Rat: >22 ppm

STOT-single exposure -repeated exposure

No known.

Routes of exposure

Eyes and skin, inhalation, (ingestion)

Allergenic potential

May cause an allergic skin reaction

Carcinogenicity, mutagenicity and toxicity for reproduction

This product is not classified as carcinogen, mutagen and toxic for reproduction.

Aspiration hazard

No.

Date of issue: 2020-10-05 (Version1)

SECTION 12: Ecological information

This product is classified as dangerous for the environment.

Avoid uncontrolled releases to surface water and sewage

12.1 Toxicity

Information about this preparation is not available.

Toxicology data for the containing components:

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	EC ₅₀ Algea 72h: 0,161 mg/l Sp Pseudokirchneriella subcapitata EC ₅₀ Algea 96h: 0,166 mg/l EC ₅₀ Daphnia 21d: > 1mg/l EC ₅₀ Daphnia 48h: 1,02 mg/l LC ₅₀ Fish 96h: 0,58 Sp: Danio rerio EC ₅₀ Microorganism 3h: 31,7 mg/l
Triethoxyoctylsilane (2943-75-1)	LC ₅₀ Fish 96h: >0,055 mg/l Sp: Oncorhynchus mykiss EC ₅₀ Daphnia 48h: 0,049 mg/l EC ₅₀ Algea 72h: >0,13 mg/l Sp: Pseudokirchnerella subcapitata

12.2 Persistence and degradability

No information available

12.3 Bioaccumulative potential

No information available

12.4 Mobility in soil

No information available

12.5 Results of PBT and vPvB assessment

The product does not contain substances that meet the criteria for classification as PBT or vPvB substances in concentrations equal to or above 0.1%.

12.6 Other adverse effects

No known

SECTION 13: Disposal considerations

13.1 Waste treatment methods:

This product or residues of concentrated product are classified as hazardous waste. Dispose of in accordance with local authority requirements. Do not empty into drain.

EWC- code: Depends on line of business and use.

Suggested EWC-code 08 04 15* aqueous liquid waste containing adhesives or sealants containing organic solvents or other dangerous substances

Disposal of Packaging:

Well cleaned packaging could be left for recycling.

Date of issue: 2020-10-05 (Version 1)

SECTION 14: Transport information

The product is not classified as dangerous goods according to ADR/RID, IMDG, DGR.

14.1 UN number

-

14.2 Proper shipping name (IMDG,IATA/ICAO)

-

14.3 Transport hazard class(es)

-

14.4 Packing group

-

14.5 Environmental hazards

-

14.6 Special precautions for user

-

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

-

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Classification according to CLP (1272/2008/EC). EH40/2005

15.2 Chemical safety assessment

None.

SECTION 16: Other information

The full text of Hazard statement Codes listed under section 3:

H301 Toxic if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Mycket giftigt för vattenlevande organismer med långtidseffekter.

H410 Very toxic to aquatic life with long lasting effects.

The user of this product must decide if the information in this safety data sheet is sufficient for which the product will be used.

Version 1: 2020-10-05

Safety data sheet according to Regulation (EC) No. 1907/2006 and (EG) 2015/830.

Sources

Safety data sheet provided by the manufacturer. CLP-regulation

www.kemi.se (Database), EH40/2005, <http://echa.europa.eu> (Database).

Date of issue: 2020-10-05 (Version1)

SECTION 16: Other information (...)

Abbreviations explanations

ADR: International Carriage of Dangerous Goods by Road

BCF: Bio Concentration Factor

CAS-nr: Chemical Abstracts Service number

EC₅₀: Effect Concentration

EG-nr: A substance number i EINECS, ELINCS or in No-Longer Polymers List.

IMDG: International Maritime Dangerous Goods Code.

LC₅₀: Lethal Concentration

LD₅₀: Lethal Dose

IC₅₀: Median Inhibition Concentration

NOEC: No Observed Effect Concentration

PBT-substance: Persistent, Bio accumulative and Toxic substances.

vPvB-substance: Very persistent and Very Bio accumulative substances.

NOEC: No Observed Effect Concentration